



Jason
A MEGADYNE Group Co.

Certificado
NBR ISO 9001:2008



CORREIAS CONDOR

3L -400
3L -400

A-25

A-25

B-30

B-30

C-47

C-47

C-47

C-47

D-144

D-144

D-144

TRUEMATCH®
Oil & Heat
Resistant
Anti-Static

TRUEMATCH®
Oil & Heat
Resistant
Anti-Static

TRUEMATCH®
Oil & Heat
Resistant
Anti-Static


TRUEMATCH®
Oil & Heat
Resistant
Anti-Static

TRUEMATCH®
Oil & Heat
Resistant
Anti-Static

TRUEMATCH®
Oil & Heat
Resistant
Anti-Static

TRUEMATCH®
Oil & Heat
Resistant
Anti-Static

TRUEMATCH®
Oil & Heat
Resistant
Anti-Static




Correias - V fracionais HorsePower (FHP)

Resistentes a óleo e calor. Anti-estática
Estas correias fracionais HorsePower atendem à norma RMA IP-23.

Correia - V Condor Perfil 3L FHP

- Largura-topo 3/8 - pol.
- Altura 7/32 - pol.



Comprimento externo menos 1.1/2" igual a comprimento interno.

Correia	Compr. externo (pol.)
3L130	13
3L140	14
3L150	15
3L160	16
3L170	17
3L180	18
3L190	19
3L200	20
3L210	21
3L220	22
3L230	23
3L240	24
3L250	25
3L260	26
3L270	27
3L280	28

Correia	Compr. externo (pol.)
3L290	29
3L300	30
3L310	31
3L320	32
3L330	33
3L340	34
3L350	35
3L360	36
3L370	37
3L380	38
3L390	39
3L400	40
3L410	41
3L420	42
3L430	43
3L440	44

Correia	Compr. externo (pol.)
3L450	45
3L460	46
3L470	47
3L480	48
3L490	49
3L500	50
3L510	51
3L520	52
3L530	53
3L540	54
3L550	55
3L560	56
3L570	57
3L580	58
3L590	59
3L600	60

Correia	Compr. externo (pol.)
3L610	61
3L620	62
3L630	63
3L640	64
3L650	65
3L660	66
3L670	67
3L680	68
3L690	69
3L700	70
3L710	71
3L720	72
3L730	73
3L740	74

Correias Condor Truematch®


Resistentes a óleo e calor. Anti-estática

Correias clássicas são construídas de acordo com a norma standard de engenharia RMA IP-20.

Designação clássica denota o comprimento interno.

Correia - V Condor Perfil A

- Largura-topo 1/2 pol.
- Altura 5/16 pol.



Comprimento externo menos 2" igual a comprimento interno.

Correia	Compr. externo (pol.)
A15	17
A16	18
A17	19
A18	20
A19	21
A20	22
A21	23
A22	24
A23	25
A24	26
A25	27
A26	28
A27	29
A28	30
A29	31
A30	32
A31	33
A32	34
A33	35
A34	36
A35	37
A36	38
A37	39
A38	40
A39	41
A40	42
A41	43
A42	44
A43	45
A44	46
A45	47


Correia	Compr. externo (pol.)
A46	48
A47	49
A48	50
A49	51
A50	52
A51	53
A52	54
A53	55
A54	56
A55	57
A56	58
A57	59
A58	60
A59	61
A60	62
A61	63
A62	64
A63	65
A64	66
A65	67
A66	68
A67	69
A68	70
A69	71
A70	72
A71	73
A72	74
A73	75
A74	76
A75	77
A76	78

Correia	Compr. externo (pol.)
A77	79
A78	80
A79	81
A80	82
A81	83
A82	84
A83	85
A84	86
A85	87
A86	88
A87	89
A88	90
A89	91
A90	92
A91	93
A92	94
A93	95
A94	96
A95	97
A96	98
A97	99
A98	100
A99	101
A100	102
A101	103
A102	104
A103	105
A104	106
A105	107
A108	110
A110	112

Correia	Compr. externo (pol.)
A111	113
A112	114
A114	116
A115	117
A116	118
A117	119
A119	121
A120	122
A122	124
A123	125
A124	126
A125	127
A126	128
A128	130
A130	132
A132	134
A134	136
A135	137
A136	138
A138	140
A140	142
A144	146
A147	149
A151	153
A156	158
A158	160
A160	162
A162	164
A163	165

Correia - V Condor Perfil B

- Largura topo 21/32 pol.
- Altura 13/32 pol.



Comprimento externo menos 3"
igual a comprimento interno.

Correia	Compr. externo (pol.)
B20	23
B21	24
B22	25
B23	26
B24	27
B25	28
B26	29
B27	30
B28	31
B29	32
B30	33
B31	34
B32	35
B33	36
B34	37
B35	38
B36	39
B37	40
B38	41
B39	42
B40	43
B41	44
B42	45
B43	46
B44	47
B45	48
B46	49
B47	50
B48	51
B49	52
B50	53
B51	54
B52	55


Correia	Compr. externo (pol.)
B53	56
B54	57
B55	58
B56	59
B57	60
B58	61
B59	62
B60	63
B61	64
B62	65
B63	66
B64	67
B65	68
B66	69
B67	70
B68	71
B69	72
B70	73
B71	74
B72	75
B73	76
B74	77
B75	78
B76	79
B77	80
B78	81
B79	82
B80	83
B81	84
B82	85
B83	86
B84	87
B85	88

Correia	Compr. externo (pol.)
B86	89
B87	90
B88	91
B89	92
B90	93
B91	94
B92	95
B93	96
B94	97
B95	98
B96	99
B97	100
B98	101
B99	102
B100	103
B101	104
B102	105
B103	106
B104	107
B105	108
B108	111
B110	113
B111	114
B112	115
B114	117
B115	118
B116	119
B117	120
B119	122
B120	123
B122	125
B123	126
B124	127

Correia	Compr. externo (pol.)
B125	128
B126	129
B128	131
B130	133
B132	135
B134	137
B135	138
B136	139
B138	141
B140	143
B144	147
B147	150
B151	154
B156	159
B158	161
B160	163
B162	165
B163	166
B173	176
B180	183
B195	198
B210	213
B225	228
B240	243
B249	252
B250	253
B255	258
B270	273
B300	303
B330	333
B360	363
B390	393
B420	423

Correia - V Condor Perfil C

- Largura topo 7/8 pol.
- Altura 17/32 pol.



Comprimento externo menos 4"
igual a comprimento interno.

Correia	Compr. externo (pol.)
C48	52
C49	53
C50	54
C51	55
C52	56
C53	57
C54	58
C55	59
C56	60
C57	61
C58	62
C59	63
C60	64
C61	65
C62	66
C63	67
C64	68
C65	69
C66	70
C67	71
C68	72
C69	73
C70	74
C71	75
C72	76
C73	77


Correia	Compr. externo (pol.)
C74	78
C75	79
C76	80
C77	81
C78	82
C79	83
C80	84
C81	85
C82	86
C83	87
C84	88
C85	89
C86	90
C87	91
C88	92
C89	93
C90	94
C91	95
C92	96
C93	97
C94	98
C95	99
C96	100
C97	101
C98	102
C99	103

Correia	Compr. externo (pol.)
C100	104
C101	105
C102	106
C103	107
C104	108
C105	109
C108	112
C110	114
C111	115
C112	116
C114	118
C115	119
C116	120
C117	121
C119	123
C120	124
C122	126
C123	127
C124	128
C125	129
C126	130
C128	132
C130	134
C132	136
C134	138
C135	139

Correia	Compr. externo (pol.)
C136	140
C138	142
C140	144
C144	148
C147	151
C151	155
C156	160
C158	162
C160	164
C162	166
C163	167
C173	177
C180	184
C195	199
C210	214
C225	229
C240	244
C249	253
C250	254
C255	259
C270	274
C300	304
C330	334
C360	364
C390	394
C420	424

Correia - V Condor - Perfil D

- Largura topo 1.1/4 pol.
- Altura 3/4 pol.



Comprimento externo menos 5"
igual a comprimento interno.

Correia	Compr. externo (pol.)
D080	085
D112	117
D120	125
D122	127
D123	128
D124	129
D125	130
D126	131
D128	133
D130	135
D132	137
D134	139

Correia	Compr. externo (pol.)
D135	140
D136	141
D138	143
D140	145
D144	149
D147	152
D151	156
D156	161
D158	163
D160	165
D162	167
D166	171

Correia	Compr. externo (pol.)
D173	178
D180	185
D195	200
D200	205
D210	215
D225	230
D240	245
D248	253
D250	255
D255	260
D270	275
D280	285

Correia	Compr. externo (pol.)
D300	305
D315	320
D330	335
D345	350
D360	365
D390	395
D420	425
D480	485
D530	535




Correias - V Condor Truematch®

Resistentes a óleo e calor. Anti-estática

Estas correias possuem capacidade mais alta de força. Isto elimina a formação de jogos de correias com seus múltiplos problemas de estoque e desperdício de correias. Construídas de acordo com a norma RMA IP-22.

Correia - V Condor Unimatch - Perfil 3V

- Largura-topo 3/8 - pol.
- Altura 5/16 - pol.



Correia	Compr. externo (pol.)
3V250	25
3V265	26.5
3V280	28
3V300	30
3V315	31.5
3V325	32.5
3V335	33.5
3V355	35.5
3V375	37.5
3V400	40


Correia	Compr. externo (pol.)
3V425	42.5
3V450	45
3V475	47.5
3V500	50
3V530	53
3V560	56
3V600	60
3V630	63
3V670	67
3V710	71

Correia	Compr. externo (pol.)
3V730	73
3V750	75
3V780	78
3V800	80
3V830	83
3V850	85
3V900	90
3V950	95
3V1000	100
3V1060	106

Correia	Compr. externo (pol.)
3V1120	112
3V1180	118
3V1250	125
3V1320	132
3V1400	140
3V1500	150
3V1600	160
3V1700	170

Correia - V Condor Unimatch - Perfil 5V

- Largura-topo 5/8 - pol.
- Altura 17/32 - pol.



Correia	Compr. externo (pol.)
5V500	50
5V530	53
5V560	56
5V600	60
5V600	63
5V670	67
5V710	71
5V750	75
5V800	80
5V850	85


Correia	Compr. externo (pol.)
5V900	90
5V950	95
5V1000	100
5V1060	106
5V1120	112
5V1180	118
5V1250	125
5V1320	132
5V1400	140
5V1500	150

Correia	Compr. externo (pol.)
5V1600	160
5V1630	163
5V1700	170
5V1800	180
5V1900	190
5V2000	200
5V2120	212
5V2240	224
5V2360	236
5V2380	238

Correia	Compr. externo (pol.)
5V2500	250
5V2650	265
5V2800	280
5V3000	300
5V3150	315
5V3350	335

Correia - V Condor Unimatch - Perfil 8V

- Largura-topo 1 - pol.
- Altura 7/8 - pol.



Correia	Compr. externo (pol.)
8V1000	100
8V1060	106
8V1080	108
8V1120	112
8V1180	118
8V1250	125
8V1320	132
8V1400	140
8V1500	150
8V1600	160

Correia	Compr. externo (pol.)
8V1700	170
8V1800	180
8V1900	190
8V2000	200
8V2120	212
8V2240	224
8V2360	236
8V2500	250
8V2650	265
8V2800	280

Correia	Compr. externo (pol.)
8V3000	300
8V3150	315
8V3350	335
8V3550	355
8V3750	375
8V4000	400
8V4250	425

Correia	Compr. externo (pol.)
8V4500	450
8V4750	475
8V5000	500
8V5600	560



Av. Dr. Armando Pannunzio, 610 - Jd. São Paulo
Sorocaba - SP - CEP 18050-000

Fone: (15) 2101-7700
vendas@jason.com.br

www.jason.com.br